

PROVIDER-ACTIVATED SOFTWARE FOR MOBILE COMMUNICATION DEVICES

This application claims priority under 35 U.S.C. §1.19(e) to U.S. Provisional Patent
5 Application Serial Number 60/455,244, entitled "Provider-Activated Software For Mobile
Communication Devices," filed on March 17, 2003, and to U.S. Provisional Patent Application
Serial Number 60/431,818, entitled "A Business Model for Speech Technology," filed on
December 9, 2002, both of which are hereby incorporated by reference.

Technical Field

10 The invention relates generally to wireless communication devices having installed
application software.

Background

15 Mobile voice communication devices, such as cellular telephones, have primarily
functioned to transmit and receive voice communication signals. But as the technology has
advanced in recent years, additional functions have also become available on cellular phones.
Examples of this added functionality include an onboard telephone directory, voice recognition
capabilities, voice-activation features, games, and notebook functions, just to name a few.

20 Indeed, not only are these capabilities being added to cellular phones but voice communication
capabilities are being added to computing platforms such as the PDA (personal digital assistant);
thus blurring the distinction between cellular phones and other handheld computing devices.

One example of a more modern mobile communication and computing device is the T-
Mobile *pocket PC Phone Edition*, which includes a cellular telephone integrated with a hand-
25 held computing device running the Microsoft Windows CE operating system. The *pocket PC*
includes an Intel Corp. *StrongARM* processor running at 206 MHz, has 32MB of RAM
(memory), a desktop computer interface and a color display. The *pocket PC* is a mobile platform
meant to provide the functions of a cellular telephone and a personal digital assistant (PDA) in a
single unit.

30 Some of the current wireless voice communication devices provide a text messaging
function, known as SMS (Short Message Service) text messaging. This text messaging function

enables users to use the alphanumeric keypad on the device to compose short text messages (i.e., up to 160 characters) that are then sent over a low bandwidth channel that is available in cellular communication technology. Text messaging can be a very convenient way to communicate and probably because of that, it has become quite popular, especially in Europe.

5

Summary of the Invention

In general, in one aspect, the invention features a mobile voice communication device that includes a wireless transceiver circuit for transmitting and receiving voice communications and for receiving data; a digital processor; and a memory storing application program code which
10 when executed on the digital processor causes the mobile voice communication device to provide predetermined functionality to the user of the mobile voice communication device. The predetermined functionality includes basic features and it includes enhanced features that are in addition to the basic features. The application program code has a deactivated state in which the mobile voice communication device provides the basic features to the user without providing the
15 enhanced features and an activated state in which the mobile voice communication device provides the enhanced features. Toggling between the deactivated and activated states is accomplished by receiving through the wireless transceiver circuit a transmitted key that was sent by a remote source to that mobile voice communication device.

Other embodiments include one or more of the following features. The mobile voice
20 communication device is a cellular telephone. The predetermined functionality that is provided by the application program code is speech recognition. The transmitted key is an activation key that switches the application program code from the deactivated state to the activated state. The transmitted key uniquely identifies the mobile voice communication device.

In general, in another aspect, the invention features a method for generating revenue.
25 The method includes establishing an account for each of a plurality of wireless voice communication devices, wherein on each of the wireless communication devices there is an application program for providing predetermined functionality for that wireless communication device, the predetermined functionality having basic features and also having enhanced features that are in addition to the basic features, the application program also having a deactivated state
30 in which the wireless voice communication device provides the basic features to a user of the device without providing the enhanced features and an activated state in which the wireless voice

communication device provides the enhanced features. The method also includes selecting one of the plurality of wireless communication devices on which to switch the application program from a first state to a second state, wherein the first state is one of the activated state and the deactivated state and the second state is the other of the activated state and the deactivated state; transmitting a key to the selected device, wherein the key is for causing the application program in the wireless communication device to switch from the first state to the second state; and after the key is sent to the selected device, billing the account for the features provided by the second state.

Other embodiments include one or more of the following features. The predetermined functionality that is provided by the application program is speech recognition. The first state is the activated state and the second state is the deactivated state. The method also includes, prior to selecting one of the plurality of wireless communication devices on which to send the key, sending a message to the selected device for notifying a user that the enhanced features are available after a trial period for a fee. The first state is the deactivated state and the second state is the activated state. The key is an activation key that uniquely identifies the selected device among the plurality of wireless communication devices. The billing involves periodically billing the entity for having access to the enhanced features while the enhanced features are activated.

In general, in yet another aspect, the invention features a method for generating revenue. The method involves establishing an account for each of a plurality of wireless voice communication devices, wherein on each of said wireless communication devices there is an application program for providing predetermined functionality for that wireless communication device. The predetermined functionality includes basic features and also includes enhanced features that are in addition to the basic features. The application program has a deactivated state in which the wireless voice communication device provides the basic features to a user of the device without providing the enhanced features and an activated state in which the wireless voice communication device provides the enhanced features. The method also includes selecting one of the plurality of wireless communication devices on which to switch the application program from the deactivated state to the activated state; transmitting an activation key to the selected device, wherein the activation key is for causing the application program in the wireless communication device to switch from the deactivated state to the activated state; and after the

enhanced features are activated in the selected device, billing the account for that device for the enhanced features.

Brief Description of the Drawings

- 5 Fig. 1 is a functional block diagram of a smartphone embodiment.
- Fig. 2 is a flow diagram of a revenue-generating model that uses the technology illustrated by Fig. 1.

Description of the Embodiments

- 10 Referring to Fig. 1, in general, the described embodiment is a cellular phone in which there is embedded application software that includes functionality that can be turned on and off remotely (e.g. by the carrier or service provider). In this instance, the application software is voice recognition software that enables the user to access information on the phone (e.g. telephone numbers of identified persons) and to control the cell phone through verbal commands.
- 15 The voice recognition software also includes enhanced functionality in the form of a speech-to-text function that enables the user to enter text into an email message through spoken words. The enabling and disabling of the enhanced functionality within the speech recognition software is controlled by a software switch. The carrier is able to turn on or turn off the software switch and thereby enable or disable the speech-to-text functionality by sending a special “key” to the
- 20 user’s cell phone.

- The cellular phone with the remotely switchable enhanced functionality underlies a new revenue-generating model for providing services to cell phone users. In essence, the enabling of software functionality that is embedded on the user’s cellular phone becomes a revenue-generating event. For the enhanced functionality that is enabled by the carrier, the user agrees to
- 25 pay a monthly charge for so long as that functionality remains activated. The carrier collects the income stream generated by enabling the new functionality and shares a portion of that income with the entity which provided the software. This enables the software company to more equitably share in the financial rewards made possible by the software which the company designed for the phone.

- 30 A typical platform on which such functionality can be provided is a smartphone 100, such as is illustrated in the high level block diagram form in Fig. 2. In the described

embodiment, smartphone 100 is a Microsoft PocketPC-powered phone which includes at its core a baseband DSP 102 (digital signal processor) for handling the cellular communication functions (including for example voiceband and channel coding functions) and an applications processor 104 (e.g. Intel StrongArm SA-1110) on which the PocketPC operating system runs.

5 The phone supports GSM voice calls, SMS (Short Messaging Service) text messaging, wireless email, and desktop-like web browsing along with more traditional PDA features.

The transmit and receive functions are implemented by an RF synthesizer 106 and an RF radio transceiver 108 followed by a power amplifier module 110 that handles the final-stage RF transmit duties through an antenna 112. An interface ASIC 114 and an audio CODEC 116
10 provide interfaces to a speaker, a microphone, and other input/output devices provided in the phone such as a numeric or alphanumeric keypad (not shown) for entering commands and information. DSP 102 uses a flash memory 118 for code store. A Li-Ion (lithium-ion) battery 120 powers the phone and a power management module 122 coupled to DSP 102 manages power consumption within the phone. Volatile and non-volatile memory for applications
15 processor 114 is provided in the form of SDRAM 124 and flash memory 126, respectively. This arrangement of memory is used to hold the code for the operating system, the code for customizable features such as the phone directory, and the code for any applications software that might be included in the smartphone, including the voice recognition software mentioned above. The visual display device for the smartphone includes an LCD driver chip 128 that drives
20 an LCD display 130. There is also a clock module 132 that provides the clock signals for the other devices within the phone and provides an indicator of real time.

All of the above-described components are packages within an appropriately designed housing 134.

Since the smartphone described above is representative of the general internal structure of
25 a number of different commercially available smartphones and since the internal circuit design of those phones is generally known to persons of ordinary skill in this art, further details about the components shown in Fig. 1 and their operation are not being provided and are not necessary to understanding the invention.

The internal memory of the phone includes all relevant code for operating the phone and
30 for supporting its various functionality, including code 140 for the voice recognition application software, which is represented in block form in Fig. 1. The voice recognition application

includes code 142 for its basic functionality as well as code 144 for enhanced functionality, which in this case is speech-to-text functionality 144. The activation and/or deactivation of the speech-to-text functionality is controlled by a software switch 146.

When the speech-to-text functionality is activated, the user is able to use that
 5 functionality to generate short text messages by speaking into the phone. The user's spoken word is converted to text that is inserted into the body of a short text message. Once the text message is completed and properly addressed, it is then sent to the intended recipient by using, for example, the SMS messaging capabilities of the smartphone.

The software switch is operated by a digital "key" that is supplied, typically by the carrier
 10 or service provider. The key is a password or encryption key that the locally stored application in the cell phone uses to activate or deactivate the enhanced functionality. In other words, the application program includes code that uses the key which it receives to either activate or deactivate the enhanced functionality, depending on the particular key that is supplied. In fact, any mechanism that enables a remote entity to accomplish the activation or deactivation function
 15 can be used.

One business model for generating revenue through making the speech-to-text functionality available to the purchasers of the smartphones phones operates as follows. The software company provides to the cell phone manufacturer the software code for the voice-recognition application having the speech-to-text functionality. The cell phone manufacturer
 20 integrates that code into its cellular phones along with whatever software and/or code that is necessary to implement the underlying cellular communication functions and along with any other software applications that the manufacturer might want to include on the phone, e.g. games, an organizer program, a phone directory. Then, these phones are sent out into the various distribution channels that are used by that manufacturer.

When a customer purchases the cellular phone, including the embedded voice recognition
 25 software with the enhanced functionality, the seller activates the phone and establishes service through a local service provider or carrier, which sets up an account for that phone (block 200). At this time, the seller also initializes the enhanced functionality so that it is in an activated state (block 202). It will remain in the activated state for a predetermined trial period (e.g. one to
 30 three months) after which the customer must request that the functionality be activated as a subscription service. During the trial period, the purchaser has full access to and can experience

the benefits of the enhanced functionality. In essence, the customer is permitted to “test drive” the enhanced functionality to evaluate whether it is something that he would want to purchase. During that trial, the carrier periodically sends notices (e.g. SMS text messages) to the customer reminding him that the enhanced functionality is available free for the trial period and instructing
5 the customer how to sign up so as to continue having access to the enhanced functionality beyond the trial period (block 204). In the described example, the customer signs up by sending a SMS message to the carrier including a PIN number confirming the source of the request.

If the customer allows the trial period to elapse without signing up for the enhanced functionality (blocks 208 and 216), then the carrier sends a deactivation key to the customer’s
10 phone turning off the enhanced functionality (block 218).

If we assume, however, that the customer signs up for the enhanced functionality, the carrier will receive an appropriate indication from the customer of his wish to continue the service (i.e., a sign-up request and billing authorization). Upon receiving the sign-up request and billing authorization from the customer (block 208), the carrier sends an activation key to the
15 customer’s cell phone to activate the enhanced functionality beyond the trial period (block 210). Concurrently with or in close proximity to activating the enhanced functionality, the carrier also initiates a billing function which charges the customers account on a monthly basis for the enhanced functionality (block 212). Thereafter, and for as long as the enhanced functionality remains activated, the monthly bill to the customer will include a monthly charge for the
20 enhanced features.

The activation of the enhanced functionality on the customer’s cell phone will result in an revenue stream to the carrier. The carrier, typically in accordance with a previously executed agreement with the provider of the software, shares that revenue steam with the software company (block 214). There are many alternative ways in which this can be accomplished. In
25 the described embodiment, either upon billing the customer the monthly fee for the enhanced functionality or upon receiving that fee from the customer, the carrier also credits an account for the software company with a portion of the subscription payment.

If at a later date the customer fails to make payments for the enhanced functionality or if the customer discontinues his subscription for that functionality (block 216), the carrier sends a
30 deactivation key to the customer’s cell phone turning off that feature (block 218). Thereafter, in an effort to get the customer back, the carrier might periodically send to that former customer

notices or advertisements about the continued availability of the enhanced functionality or even about improved later-developed versions of it (block 220).

At multiple points along the flow diagram presented in Fig. 2, there are, of course, alternative ways of achieving the general objective associated with that stage of the process. For example, there are multiple alternative ways by which the customer might notify the carrier of his request to sign-up for the service. The notification might be by entering an appropriate sequence of keystrokes on the cellular phone, by telephone call to the carrier or its representative, by sending an SMS text message, by sending email, by regular mail, etc.

On a more general level, there are also many alternative approaches to implementing a business model that generates a shared revenue stream for making the enhanced functionality available to customers. For example, instead of requiring the customer to request activation of the enhanced functionality, the functionality can simply remain activated beyond the trial period and the carrier will automatically start billing the customer for the service when the trial period ends. To not accept that enhanced functionality, the customer must affirmatively instruct the carrier to deactivate the enhanced functionality and either not start billing or, if billing had already started, discontinue billing for the functionality. If the customer instructs the carrier to turn off the enhanced features, then the carrier sends a deactivation key to the customer's cell phone and takes whatever action is appropriate on the billing side of the transaction.

There are also alternative ways to those presented above of making the enhanced functionality available to customer. For example, as an alternative to making the enhanced functionality available to the user for a limited period of time (i.e., a trial period), that functionality can be delivered in a deactivated state and the carrier notifies the customer periodically through messages sent to the customer's phone and/or to his residential street address that such enhanced functionality is supported on his phone and can be activated upon request. If notifications are sent to the customer's cell phone, they can be sent either as voice messages left in his mailbox, as short SMS text messages stored in the phone, as web pages that are displayed on the browser in the phone, or as messages sent through any available communication channel on the phone. In this case, the software switch is set to a deactivated state when the customer buys the phone and remains in that state until the customer subscribes to the enhanced functionality at which point the carrier sends an activation key to the phone.

Instead of sending notifications from to the phone from a location external to the phone, those notifications can be generated internally by software in the phone. That is, the phone can store in its internally memory prepared advertisements that are periodically displayed to the user over a predetermined period of time.

5 Similarly, there are ways of activating and deactivating the enhanced functionality other than those described above. For example, if the phone is delivered to the customer with the enhanced functionality activated for a trial period, the shut off of that functionality at the end of that period can be done locally. That is, instead of the carrier having to send a deactivation key, the phone can be programmed to switch off the functionality. This could be done by using the
10 on board clock to determine the arrival of the date on which the trial period ends or to measure when the amount of elapsed time equals the length of the trial period.

The activation key, if sent by the carrier, can be sent over the SMS channel or via any other available means. For example, it can be communicated to the user who then enters it through the keypad on the phone. Or it can be downloaded from the web.

15 Though the described embodiment uses a PocketPC operating system, other operating systems are available and those other operating systems can be used as platforms for implement the remotely switchable enhanced functionality. Those other operating systems include the Symbian OS offered by Symbian Ltd. of the United Kingdom, as well as the more primitive operating systems that are found on many current cellular phones. In the cell phones with the
20 more primitive operating systems, the code which implements the functionality described herein will likely need to be more tightly integrated into the operating code within the cellular phone. The tight integration that is required in those instances might well rule out uploading of the application software into the cellular phone as an option for delivering the functionality to the phone and will instead necessitate that the code be integrated into the phone when it is
25 manufactured by the cell phone manufacturer.

There is also commercially available voice recognition software designed for or usable on smartphones that can be used to help implement the functionality described herein. Two examples of such software are ViaVoice from IBM and Voice LookUp from HandHeld Speech, just to name two examples.

30 The concepts described herein apply to a much broader range of applications in the speech recognition area than the speech-to-text example that was described above. Other

examples of enhanced functionality that might be implemented include natural language functionality or extended word recognition dictionaries. The natural language functionality enables the user to issue phone operating commands using normal spoken language instead of having to know particular commands for the desired functions. In the case of extended word
5 recognition dictionaries, the phone can be delivered with a more limited dictionary that is used as the active dictionary and an extension to that dictionary that is present but deactivated. The more limited dictionary limits the user to a more limited set of spoken words. The enhanced dictionary, when activated, expands the spoken word vocabulary that is available to the user in communicating with the phone.

10 The approach of including the enhanced functionality in the phone that is delivered to the customer at the point of purchase is particularly useful for software applications that are large and complicated like voice recognition applications. Due to their large size, it is generally not practical to download the code into the phone. However, instead of including the code for the enhanced functionality within the phone delivered to the customer, in some circumstances it
15 might be acceptable to require the customer to download the code. The resulting code that provides the enhanced functionality would, of course, still need to include the software switch so that it can be deactivated should the user decide at a later date that he no longer wishes to pay for the enhanced functionality.

20 For the enhanced functionality, it is also possible to split that functionality between the handheld device and a remote server, performing front end processing on the handheld device and performing backend processing on the remote server. For example, one could do proximate word recognition on the handheld device and complete the recognition on the remote server.

The concepts described herein can also be implemented on other mobile wireless communication platforms in addition to cellular phones or smartphones. Examples of other
25 platforms include, without limitation, PDAs (Personal Digital Assistant) with wireless capabilities such as the Palm Pilot, the Blackberry and other handheld computing devices; pagers; and handheld notebook computers with wireless communication devices attached. The functionality for which the enhanced capabilities can be activated and deactivated need not be limited to speech recognition. One can also image using the above-described approach for
30 handwriting recognition and image recognition and for any capabilities that provide an alternative way of inputting information or commands into the handheld communication device.